

Tailwind LG500



LG 500 LIFEGUARD CHAIR ASSEMBLY INSTRUCTIONS




Hardware Included


- 12 3" Bolts
- 4 2 1/2" Bolts
- 8 3" Screws
- 2 2 1/2" Screws
- 4 2" Screws
- 8 1 5/8" Screws
- 16 Washers
- 16 Lock Washers
- 16 Nuts

Tools Required


- Hammer
- 7/16 Wrench
- #3 Phillips Screw Driver
- #2 Square Drive Screw Driver




1. Lay back leg section on the floor. Attach seat section using four 3" bolts, four washers, four lock washers & four nuts




2. Attach left front leg using two 3" bolts, two washers, two lock washers and two nuts.
 3. Repeat for right front leg.
- NOTE:** Attach legs with counter sink holes facing out. Front Legs should be flush with front of seat.




4. Attach bottom umbrella holder to side of foot rest using two 2 1/2" screws.




5. Attach foot rest to front and back legs using four 3" bolts, four washers, four lock washers and four nuts.
6. Attach foot rest to front legs using four 3" screws.




7. Attach front anchor board using four 3" screws, 2 screws each side.



8. Attach arms to legs using four 2" screws, 2 screws at each arm.




9. Attach back rest to seat section using four 1 5/8" screws.
10. Attach back leg section to center seat support using two 1 5/8" screws.



11. Attach back rest to arms using two 2 1/2" bolts, two washers, two lock washers & two nuts



12. Attach cup holder to right arm using two 1 5/8" screws.



13. Attach the upper umbrella holder using two 2 1/2" bolts, two washers, two lock washers and two nuts.

WARNING

IMPORTANT SAFETY PRECAUTIONS

FOR YOUR PERSONAL SAFETY
AND TO AVOID DAMAGE TO THE CHAIR AND OTHER PROPERTY:

- When using an umbrella always secure the chair directly to the ground or deck
- Always tighten set screw on the lower pole of your umbrella
- To avoid problems, always lower the umbrella during wind conditions and when not in use

Questions on assembly - Call (815)756-3638

Manufactured in USA by:

TAILWIND
FURNITURE 



MATERIALS

Tailwind® Furniture is manufactured utilizing High Density Polyethylene (HDPE), a recycled plastic derived from post consumer & post industrial bottle waste, combined with stainless steel hardware. Tailwind's Lifeguard Chairs & Furniture will never need painting or staining and will not rot or splinter. The recycled plastic has an added UV inhibitor to resist fading. HDPE is unaffected by most corrosive substances, will not absorb moisture, or promote bacterial growth.

CARE & MAINTENANCE

To maintain the original finish, clean regularly with soap and water. If stubborn stains occur, use a pressure washer (Not to exceed 1,500 psi which is the same as a carwash; any higher can damage the plastic) and "Greased Lightning", a product found at your local home centers, was found to be most effective on stubborn stains.



REDUCE•REUSE•RECYCLE
Please recycle packaging material